


ITEM	QTY	P/N	DESCRIPTION
	-041		
	X	D4368-041	WEARPLATE ASSY
1	1	D4368-1	PLATE
2	1	D4369-041	BAR WELDMENT



D4368-041 FWD WEARPLATE ASSY


- NOTES:**
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
 - 7) WEIGHT: 6.9 lbs
 - 8) WELDING: PER QSI 004
 - 9) COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING, 0.020 - 0.040 THICK, PER DART QSI 005 4.9.
 - 10) TRANSFER DRILL \varnothing 0.188 HOLES THRU D4369-041 BAR WELDMENT FROM D4368-1 PLATE AFTER WELDING
 - 11) FORM TO MATCH PROFILE OF D4368-1 AT TIME OF WELDING

APPROVED

RELEASED
2017-08-10
EW 17-615

C	D4369-041 WAS D4369-1, D4369-043 WAS D4369-3, HARDCOAT WELDING REMOVED (MOVED TO D4369). SHEET 2, 0.40 WAS 0.83. SHEETS 3, 4 & 5 UPDATE TOLERANCES. SHEET 4 REMOVE VIEWS A-A, B-B. SHEET 5 DETAIL B R.06 NOW REF 0.13 DIM WAS 0.125 REF.	SAD	17.06.26
B	TEXTURED COATING WAS ROCKGUARD 4714 (BOM TABLE), CHANGE NOTE 10 (SH 2)	DB	13.11.04
A	NEW ISSUE	SC	11.06.14
REV.	DESCRIPTION	BY	DATE
DESIGN	SC	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	ML		
CHECKED	NO	DRAWING NO.	REV. C
MFG. APPR.	DD	D4368	SHEET 1 OF 5
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WEARPLATE ASSY	NTS
DATE	17.06.26	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

ITEM	QTY -043	P/N	DESCRIPTION
	X	D4368-043	WEARPLATE ASSY
1	1	D4368-3	PLATE
2	1	D4369-043	BAR WELDMENT



D4368-043 AFT WEARPLATE ASSY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 4.8 lbs
- 8) WELDING: PER QSI 004
- 9) COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING, 0.020 - 0.040 THICK, PER DART QSI 005 4.9.
- 10) TRANSFER DRILL \varnothing 0.188 HOLES THRU D4369-043 BAR WELDMENT FROM D4368-3 PLATE AFTER WELDING
- 11) FORM TO MATCH PROFILE OF D4368-3 AT TIME OF WELDING







APPROVED

RELEASED
2017-08-10

DESIGN	SC	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	ML		
CHECKED	NO	DRAWING NO. D4368	REV. C SHEET 2 OF 5
MFG. APPR.	DD	TITLE WEARPLATE ASSY	
APPROVED	WM		
DE APPR.	DS	SCALE NTS	
DATE	17.06.26		

COPYRIGHT © 2011 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.





DESIGN	SC	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	ML		
CHECKED	NO	DRAWING NO. D4368	REV. C
MFG. APPR.	DD		SHEET 5 OF 5
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WEARPLATE ASSY	NTS
DATE	17.06.26	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	